## LUXLIGHT®

# LUX IS LIGHT AND LIGHT IS LIFE

### LUXLIGHT®

### PROTECT THE ENVIRONMENT

LED SAVE ENERGY 70% energy savings 70% less heat 70& reduction in cooling



#### **VISUAL COMFORT**

LED SAVE ENERGY Natural quality of light Good color rendering >80 Instant quick start

#### LIFETIME OF LED

25000 - 50000 h No UV rays No heat radiation Color 2000K - 8000K





## PROTECT THE ENVIRONMENT

Energy Class A Energy bill lowered Meintenance cost reduced Carbon free technology Saving of Co2



#### DOWNSPOT CHARLY-2-LED

Power 40W, 50W Lumen 4000, 5000 Color 4200K Refletor 50° and 26° Diffusors Opal, WW Housing powder coating

#### DOWNSPOT CHARLY-2-LED

Power 40W, 50W Lumen 4000, 5000 Color 4200K Refletor 50° and 26° Housing powder coating

#### DOWNSPOT DELTA-LED

Power 30W Lumen 3000 Color 4200K Refletor 50° Diffusors WW Housing alu silver anodized

#### TRACKLIGHT BRAVO-2-LED

Power 50W Lumen 5000 Color 4200K Refletor 50° and 26° Housing alu silver anodized









#### DOWNLIGHT CHARLY-2-LED

Power 40W, 50W Lumen 4000, 5000 Color 3200K Refletor 50° and 26° Diffusors Opal, WW Housing powder coating

#### LINERARLIGHT ALPHA-70-LED

Power 45W Color 4200K Lenght 500mm - 3000mm Spot ±8° - Widelenses ±27° DiffusorsClear

#### DOWNLIGHT FOXSTREET-LED

Power 100W Lumen 10000 Color 5200K Lenses ±55 x ±22 Housing powder coating

#### DOWNLIGHT CHARLY-2-LED

Power 50W Lumen 5000 Color 5200K Refletor 50° Diffusors Clear Height 6 m









#### LINERARLIGHT ALPHA-70-LED

Power 15W, 30W, 45W Color 3200K, 4200K, 5200K Lenght 500mm - 3000mm Spot ±8° - Widelenses ±27° Diffusors Opal or Clear

#### TRACKLIGHT BRAVO-2-LED

Power 30W, 40W, 50W Lumen 3000, 4000, 5000 Color 3200K, 4200K, 5200K Refletor 50° or 26° Diffusors Opal, Clear, WW Housing alu silver anodized

#### DOWNLIGHT CHARLY-2-LED

Power 30W, 40W, 50W Lumen 3000, 4000, 5000 Color 3200K, 4200K, 5200K Refletor 50° or 26° Diffusors Opal, Clear, WW Housing powder coating

#### DOWNLIGHT DELTA-LED

Power 10W, 20W, 30W Lumen 1000, 2000, 3000 Color 3200K, 4200K, 5200K Refletor 50° or 26° Diffusors Opal, Clear, WW Housing alu silver anodized









### LUXLIGHT YOUR WARRANTY FOR

full LED Lighting Solutions

Professional Sales Team providing advice the best expertise in LED Lighting

R&D Team, technical lighting engineers providing full technical support in your LED Lighting projects

High Quality best electronic components

Life Span LED Arrays > 25 - 50000h

LED Driver Power Factor > 0.98

LED Driver Power Supply Efficiency > 96%

5-Years warranty for the LED Driver

5-Years warranty for the Alu-Housing Material

LUXLIGHT is a 100% Swiss Ovener Company

Swiss Quality - Made in Switzerland



#### LUXLIGHT GMBH

Bälliz 64 CH-3600 Thun Phone +41 33 335 715 Fax +41 41 485 0030 E-mail luxled@luxled.ch www.luxled.ch